1.0	machine connection: drain connection hose, DN 22 hose fitted as odour trap in interior of machine					
1.1	drain (max. 700 mm above finished floor level), DN 50					440
2.0	Machine connection: fresh water supply, G 3/4"	_				
2.2	Soft cold water 10°C, DN 15, G 3/4 a max. 0,54 mmol/I CaCO₃ (max. 3°dH) Flow rate: 5 l/min Minimum flow pressure: 60 kPa / 0,6 bar in front of solenoid valve Maximum pressure: 500 kPa / 5,0 bar stopcock and fine screen ≤ 25 µm	•••		810 820 - 850	680	A- 450
3.0	Machine connection: electrical connection cable 5G 2,5mm ²		O		8	5 85
6.0	electricity supply to the machine: 3N PE 400V ~ 50Hz nominal current / - capacity: 16,0 A / 6,9 kW Fuse protection: 16 A Voltage equalising cable The master switch must be provided on site Electrical equipment suitable for supply voltage: 3N PE 380-415 V 50 Hz / 1N PE 220-240 V 50 Hz Heat load of warewash area for 20 programme cycles/h total 2,1 kW, perceptible 1,4 kW, latent 0,7 kW	260 80	600 80	10 - 40	50 55	
	bles, pipes etc leaving machine 1,6 m	1.1			/ <u>-2</u> .	0 3.0
· · ·	osition of the connection piping can also be mirror-inverted!	3.1¬\\\				
	chine Equipment	V. V. V. I				1.0 -/
(A) Ei	ntry height			_	/ re	1.0
(D) R	inse agent pipe and suction lance					
(E) D	etergent dosing unit with suction lance			000		
				Revision		Time
		GoldDiamond Par	EAST FZE k, Building#6, office #2	06 Referenc		

			T CONSIGNT							
				Reference DISHWASHER STANDARD DRAWING / AFG				Type UPSTER U 500 M2		
This drawing may not be neither passed to third parties for their information or copied or used for competitive purposes without our consent. All rights reserved. We reserve the right to make changes resulting from technical progress. This drawing was computer generated and is not subject to the checking and any release process; it is also not subject to change management. Please note:			TYPE: Drawing-No S0008).		RY	Order-No.			
his document is only valid in conjunction with the conditions defined in Supplementary sheet "Important Information". These can be requested from the manufacturer or lownloaded from the Partnernet.			Scale 1:25	drawn: 14.08	.2020	m-iplan	checked: 14.08.2020	m-iplan		
			AFG		EN			Cco	PYRIGHT by M	VEIKO